UNITED 77




MATERIAL SAFETY DATA SHEET

320 37th Avenue, St. Charles, Illinois 60174 • 214 Dolomite Drive, Downsview, Ontario M3J2N2 www.unitedlabsinc.com To Reorder Call: 800-323-2594

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME UNITED 77 BIATRON® **USE/DESCRIPTION** Organic Digester and Liquid Drain Cleaner

FOR MEDICAL AND TRANSPORTATION EMERGENCIES 24 Hour INFOTRAC (US and CANADA): 800-535-5053 REVISION DATE March 12, 2007



2. COMPOSITION/INFORMATION ON INGREDIENTS

			ACGIH	OSHA	LD50	LC50
Hazardous Ingredients	CAS#	%Range	(TLV-TWA)	(PEL-TWA)	(Species/Route)	(Species)
Sulfuric acid	7664-93-9	90-100	1 mg/m3	1 mg/m3	2140 mg/kg	347 ppm
			-	-	(rat/oral)	1 hr/rat

3. HAZARDS IDENTIFICATION

Eyes: Very corrosive. Causes severe burns and blindness. Do not wear contact lenses.

Skin: Very corrosive. Causes severe and painful burns.

Inhalation: May cause headache, drowsiness, and central nervous system depression. Mist causes severe irritation of nose, throat and lungs.

Ingestion: Very corrosive. Causes severe burns to mouth, throat, and stomach. Harmful or fatal.

4. FIRST AID MEASURES

Eyes: Flood with cool water for at least 15 minutes and get medical attention immediately. DO NOT wear contact lenses. **Skin:** Flood with cool water for several minutes until all the product is washed away. Then cover area with moistened sodium bicarbonate. Seek medical attention immediately.

Inhalation: Remove patient to fresh air immediately. If patient is not breathing, apply artificial respiration. Seek medical attention immediately.

Ingestion: DO NOT induce vomiting. If conscious, immediately drink large amounts of water to reduce the concentration. Give milk of magnesia or whites of eggs beaten into water. Avoid carbonates or sulfates. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

Flash Point (TCC): None

Explosive Limits: Lower (LEL): NA Upper (UEL): NA

Flame Projection (Aerosol): NA

Hazardous Products of Combustion: When strongly heated, as in a fire, this product may produce oxides of sulfur and carbon. **Fire and Explosion Hazards:** This product reacts violently with generation of great heat, when water is added. Temperatures may exceed 240F and may boil and splatter the mixture. May react with metals to release hydrogen gas.

Extinguishing Media: Use media appropriate for surrounding material. Use water spray to cool containers exposed to fire. Do not get water inside containers.

Fire Fighting Instructions: Avoid spraying water onto leaking containers. Water applied directly to sulfuric acid causes evolution of heat and splattering. Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus. Stay upwind if product is involved in a fire.

6. ACCIDENTAL RELEASE MEASURES

Small Spills: Wear protective equipment and clothing before entering area. Ventilate area. Avoid contact with skin and eyes. Neutralize spill with soda ash. Flush area with water using care. Unneutralized acid will generate heat when mixed with water. Large Spills: Same as above.

7. HANDLING AND STORAGE

Store in a secure area out of reach of children and unauthorized persons. Keep containers tightly closed when not in use. Do not store near incompatible materials, such as strong alkalis or flammables. Store product in a well-ventilated area. Do not add water to concentrate.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety goggles and Face Shield
 Skin: Chemical resistant gloves
 Respiratory: To avoid breathing fumes, use NIOSH-approved respirator.
 Engineering Controls: Mechanical ventilation recommended when handling in enclosed/tight spaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

 Boiling Point:
 535F/279C
 Specific Gravity:
 1.835 (H2O=1)
 Vapor Pressure:
 1.7 mmHg
 Melting Point:
 -31F/35C

 Vapor Density:
 >1 (air=1)
 Evaporation Rate:
 <1 (BA=1)</td>
 Solubility in Water:
 Complete
 pH:
 1

 Appearance and Odor:
 Slightly viscous, clear, tan colored liquid with no scent
 Solubility
 -31F/35C

10. STABILITY AND REACTIVITY

Hazardous Polymerization: Will not occur. Hazardous Decomposition: When strongly heated, as in a fire, this product may produce oxides of sulfur and carbon. Chemical Stability: Stable Incompatibility: Do not mix this product with other cleaning chemicals, especially bases or oxidizers such as bleach.

11. TOXICOLOGICAL INFORMATION

Carcinogenicity (NTP/IARC/OSHA): None

California Proposition 65: Does this product contain chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm? No

12. ECOLOGICAL INFORMATION

ND

13. DISPOSAL CONSIDERATIONS

Consult your local, state and federal regulations for proper disposal guidelines. Disposal regulations may be different for each state and/or locality.

14. TRANSPORT INFORMATION

DOT: Available upon request. **TDG:** Available upon request. **UN:** Available upon request.

15. REGULATORY INFORMATION

VOC(Volatile Organic Compounds): None TSCA (Toxic Substances Control Act): Listed SARA Title III Section 302 EHS: ND SARA Title III Section 311/312: ND SARA Title III Section 313 Toxic Chemicals: Sulfuric acid CAS# 7664-93-9 WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR (Controlled Products Regulations/ WHMIS) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Read and follow all label directions and precautions before using this product. These products are intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF REACH OF CHILDREN.

UNITED 77 BIATRON[®]

PREPARED BY: Nancy Sherrel